Author index

Adhikari, S. Effect of calcium and magnesium hardness on acute copper toxicity to Indian major carp, *Labeo rohita* (Hamilton) and catfish, *Channa punctatus* (Bloch), 975

Afonso, JM *see* Ginés, R

Afuang, W, Siddhuraju, P & Becker, K. Comparative nutritional evaluation of raw, methanol extracted residues and methanol extracts of moringa (*Moringa oleifera* Lam.) leaves on growth performance and feed utilization in Nile tilapia (*Oreochromis niloticus* L.), 1147

Afzal Khan, M *see* Usmani, N

Ajayi, O O *see* Fasakin, E A

Ako, H *see* Asano, L

Akse, L *see* van de Vis, H

Albright, L J *see* Maltby (*née* Wieruszewski), J B

Al-Harbi, A H. Faecal coliforms in pond water, sediments and hybrid tilapia *Oreochromis niloticus* × *Oreochromis aureus* in Saudi Arabia, 517

Al-Harbi, A H & Uddin, N. Quantitative and qualitative studies on bacterial flora of hybrid tilapia (*Oreochromis niloticus* × *O. aureus*) cultured in earthen ponds in Saudi Arabia, 43

Alim, M A *see* Wahab, M A

Allan, G. Farming Freshwater Prawns. A Manual for the Culture of the Giant River Prawn (*Macrobrachium rosenbergii*), 1109

Allan, G L *see* Stone, D A J

Amirrudin, A *see* Ruzainah, A

Ampofo, J A & Clerk, G C. Bacterial flora of fish feeds and organic fertilizers for fish culture ponds in Ghana, 677

Ampofo, J A & Clerk, G C. Diversity of bacteria in sewage treatment plant used as fish culture pond in southern Ghana, 667

Anderson, A J *see* Figueiredo, M S R B

Anderson, A J *see* Stone, D A J

Anderson, T A *see* Raso, S

Angel, D L *see* Lupatsch, I

Appukuttan, K K *see* Nair, R M

Aragão, C, Conceição, L E C, Dias, J, Marques, A C, Gomes, E & Dinis, M T. Soy protein concentrate as a protein source for Senegalese sole (*Solea senegalensis* Kaup 1858) diets: effects on growth and amino acid metabolism of postlarvae, 1443

Arcos, G F, Ibarra, A M, Vazquez-Boucard, C, Palacios, E & Racotta, I S. Haemolymph metabolic variables in relation to eyestalk ablation and gonad development of Pacific white shrimp *Litopenaeus vannamei* Boone, 749

Arena, L, Montalvan, M, Espinosa, G, Gaxiola, G, Sánchez, A, Van Wormhoudt, A, Hernández, D, Díaz, R & Rosas, C. Genetic relationship between *Litopenaeus setiferus* (L.) and *L. schmitti* (Burkenroad) determined by using 16S mitochondrial sequences and enzymatic analysis, 981

Argüello, A *see* Ginés, R

Asano, L, Ako, H, Shimizu, E & Tamaru, C S. Limited water exchange production systems for freshwater ornamental fish, 937

Askvik Haugum, G *see* Sofie Grefsrud, E

Atwood, H L, Tomasso, J R, Webb, K & Gatlin III, D M. Low-temperature tolerance of Nile tilapia, *Oreochromis niloticus*: effects of environmental and dietary factors, 241

Audet, C *see* Khemis, I B

Audet, C *see* Plante, S

Azim, M E, Verdegem, M C J, Mantingh, I, van Dam, A A, & Beveridge, M C M. Ingestion and utilzation of periphyton grown on artificial substrates by Nile tilapia, *Oreochromis niloticus* L., 85

Azim, M E, Verdegem, M C J, Singh, M, van Dam, A A & Beveridge, M C M. The effects of periphyton substrate and fish stocking density on water quality, phytoplankton, periphyton and fish growth, 685

Babarro, J M F *see* Freites, L

Bai, S C *see* Kim, K-W

Bai, S C *see* Wang, X

Balogun, A M *see* Fasakin, E A

Bapuji, M *see* Choudhury, S

Barcellos, L J G, Kreutz, L C, Rodrigues, L B, Fioreze, I, Quevedo, R M, Cericato, L, Conrad, J, Soso, A B, Fagundes, M, de Almeida Lacerda, L & Terra, S. Haematological and biochemical characteristics of male jundiá (*Rhamdia quelen* Quoy & Gaimard *Pimelodidae*): changes after acute stress, 1465

Barlow, C G *see* Williams, K C

Barrios-Ruiz, D, Chávez-Villalba, J & Cáceres-Martínez, C. Growth of *Nodipecten subnodosus* (Bivalvia: Pectinidae) in La Paz Bay, Mexico, 633

Bart, A N & Kyaw, H A. Survival of zebrafish, *Brachydanio rerio* (Hamilton-Buchanan), embryo after immersion in methanol and exposure to ultrasound with implications to cryopreservation, 609

Bart, A N & Yen, P T. Comparison of larval performance between Thai and Vietnamese freshwater giant prawn, *Macrobrachium rosenbergii* (de Man): a preliminary study, 1453

Bart, A N *see* Kwantong, S

Bautista-Teruel, M N *see* Gallardo, W G

Beames, R M *see* Maina, J G

Becker, J A *see* Ramsay, J M

Becker, K *see* Afuang, W

Becker, K *see* Hossain, M A

Becker, K *see* Siddhuraju, P

Bendiksen, E Å *see* Jobling, M

Berntssen, M H G *see* Skog, T-E

Bertolla Afonso, L O *see* Wassermann, G J

Beveridge, M C M *see* Azim, M E

Bhujel, R C *see* Hossain, M A

bin Ali, A *see* Chong, A

Bjornevik, M, Karlsen, Ø, Johnston, I A & Kiessling, A. Effect of sustained exercise on white muscle structure and flesh quality in farmed cod (*Gadus morhua* L.), 55

Blair, M *see* Cheng, Z J

Blanc, J M. Comparison of experimental designs for estimating quantitative genetic parameters in fish, 1099

Blanc, J M. Paternal variation in juvenile survival and growth of the triploid hybrid between female rainbow trout (*Oncorhynchus mykiss* Walbaum) and male brown trout (*Salmo trutta* L.), 205

© 2003 Blackwell Publishing Ltd

Borges, M-T *see* Enes, P
Borrebaek, B, Christophersen, B & Sundby, A. Metabolic function of hepatic hexokinase in perch, *Perca fluviatilis*, 235
Bosworth, B G, Wise, D J, Terhune J S & Wolters, W R. Family and genetic group effects for resistance to proliferative gill disease in channel catfish, blue catfish and channel catfish × blue catfish backcross hybrids, 569
Boxaspen, K *see* Juell, J-E
Brown, J H, McCauley, S, Ross, B, Taylor, A & Huntingford, F. A test of two methods for marking larvae and postlarvae of the giant freshwater prawn, *Macrobrachium rosenbergii*, 49
Brune, D E *see* Turker, H
Bryden, C A *see* Johnson, R M
Brynjeldsen, E *see* Strand, Ø
Brzuska, E. Artificial spawning of female Polish line 3 carp (*Cyprinus carpio* L.) after treatment with pituitary homogenate and/or Ovopel, 1321
Buchtová H, Svobodova, Z, Flajšhans, M & Vorlová, L. Analysis of growth, weight and relevant indices of diploid and triploid population of tench *Tinca tinca* (Linnaeus 1758), 719
Bugeon, J, Lefevre, F & Fauconneau, B. Fillet texture and muscle structure in brown trout (*Salmo trutta*) subjected to long-term exercise, 1287
Burke, C M *see* Watts, M
Byrne, H *see* van de Vis, H

Cáceres-Martínez, C *see* Barrios-Ruiz, D
Cahu, C *see* Gamboa-Delgado, J
Cain, K D, Grabowski, L, Reilly, J & Lytwyn, M. Immunomodulatory effects of a bacterial-derived β-1,3 glucan administered to tilapia (*Oreochromis nilotocus* L.) in a Spirulina-based diet, 1241
Cancino, J *see* Uriarte, I
Caputo, A R *see* Cecchini, S
Carragher, J F *see* Thomas, P M
Carter, C G *see* Thomas, P M
Cavalli, R O *see* Peixoto, S
Cecchini, S, Caputo, A R. Acid–base balance in sea bass (*Dicentrarchus labrax* L.) in relation to water oxygen concentration, 1069
Cericato, L *see* Barcellos, L J G
Chávez-Villalba, J *see* Barrios-Ruiz, D
Chen, J-C *see* Cheng, W
Chen, J-C *see* Jian, C-Y
Chen, Y-N, Hsieh, S-L & Kuo, C-M. Changes in oocyte and blood plasma osmotic components of ayu, *Plecoglossus altivelis* Temminck & Schlegel during oocyte maturation, 859
Cheng, C-H *see* Cheng, W
Cheng, S-Y *see* Jian, C-Y
Cheng, W, Liu, C-H, Cheng, C-H & Chen, J-C. Osmolality and ion balance in giant river prawn *Macrobrachium rosenbergii* subjected to changes in salinity: role of sex, 555
Cheng, Z J, Hardy, R W & Blair, M. Effects of supplementing methionine hydroxy analogue in soybean meal and distiller's dried grain-based diets on the performance and nutrient retention of rainbow trout (*Oncorhynchus mykiss* (Walbaum)), 1303
Chereguini, O, García de la Banda, I, Herrera, M, Martinez, C & De la Hera, M. Cryopreservation of turbot *Scophthalmus maximus* (L.) sperm: fertilization and hatching rates, 739
Chien, Y H & Chiu, Y H. Replacement of soybean (*Glycine max* (L.) *Merrill*) meal by lupin (*Lupinus angustifolius*) seed meal in diet for juvenile tilapia (*Oreochromis niloticus* × *O. aureus*) reared indoors, 1261
Chim, L, Bouveret, R, Lemaire, P & Martin, J L M. Tolerance of the shrimp *Litopenaeus stylirostris*, Stimpson 1894, to environmental stress: interindividual variability and selection potential for stress-resistant individuals, 629
Chiu, Y H *see* Chien, Y H
Choi, S-H *see* Kim, K-W
Choi, S-M *see* Wang, X
Choi, Y-H *see* Kim, K-W
Chong, A, Hashim, R & bin Ali, A. Assessment of soybean meal in diets for discus (*Symphysodon aequifasciata* HECKEL)
farming through a fishmeal replacement study, 913
Choudhury, S, Pattnaik, P, Sree, A, Bapuji, M & Mukherjee, S C. Antibacterial activity of sponge extracts against fish pathogens, 1075
Christophersen, B *see* Borrebaek, B
Christophersen, G & Lie, Ø. Nursery growth, survival and chemical composition of great scallop *Pecten maximus* (L.) spat from different larval settlement groups, 641
Chuan Lim, L, Dhert, P & Sorgeloos, P. Recent developments and improvements in ornamental fish packaging systems for air transport, Chuan Lim L, Dhert P, Sorgeloos P, 923
Clerk, G C *see* Ampofo, J A
Çoban, D *see* Firat, K
Cody, J *see* Decamp, O
Colihueque, N, Vergara, N & Parraguez, M. Genetic characterization of naturalized populations of brown trout *Salmo trutta* L. in southern Chile using allozyme and microsatellite markers, 525
Coman, F E, Connolly R M & Preston, N P. Zooplankton and epibenthic fauna in shrimp ponds: factors influencing assemblage dynamics, 359
Coman, F E, Norris, B J, Pendrey, R C & Preston, N P. A simple spawning detection and alarm system for penaeid shrimp, 1359
Coman, F E *see* Preston, N P
Conceição, L E C *see* Aragão, C
Connolly, R M *see* Coman, F E
Conquest, L *see* Decamp, O
Conrad, J *see* Barcellos, L J G
Crear, B J, Hart, P R & Thomas, C W. The effect of photoperiod on growth, survival, colour and activity of juvenile southern rock lobster, *Jasus edwardsii*, 439
Cyrino, J E P *see* Portz, L

da Glória Blumer Soares Moreira, M *see* del Carmen González-Peña, M
Daley, J *see* Ramsay, J M
de Almeida Lacerda, L *see* Barcellos, L J G
Decamp, O, Cody, J, Conquest, L, Delanoy, G & Tacon, A G J. Effect of salinity on natural community and production of *Litopenaeus vannamei* (Boone), within experimental zero-water exchange culture systems, 345
De la Hera, M *see* Chereguini, O
de la Noüe, J *see* Khemis, I B
de la Noüe, J *see* Plante, S
Delanoy, G *see* Decamp, O
del Carmen González-Peña, M & da Glória Blumer Soares Moreira, M. Effect of dietary cellulose level on specific dynamic action and ammonia excretion of the prawn *Macrobrachium rosenbergii* (De Man 1879), 821
Delgado, M J *see* Pinillos, M L
De Silva, S S *see* Turchini, G M

© 2003 Blackwell Publishing Ltd

Dhert, P *see* Chuan Lim, L
Dhert, P *see* Rombaut, G
Dias, J *see* Aragão, C
Díaz, R *see* Arena, L
D'Incao, F *see* Peixoto, S
Dinis, M T *see* Aragão, C
Divanach, P *see* Mylonas, C C
Douglas, S E *see* Park, I-S
Doupé, R G, Lymbery, A J & Greeff, J. Genetic variation in the growth traits of straight-bred and crossbred black bream (*Acanthopagrus butcheri* Munro) at 90 days of age, 1297
Doupé, R G, Partridge, G J & Lymbery, A J. Visible implant fluorescent elastomer tags as pedigree markers for applied aquaculture: an evaluation using black bream *Acanthopagrus butcheri*, 681
Dunstan, G A *see* Smith, G G

Edding, M E & Tala, F B. Development of techniques for the cultivation of *Lessonia trabeculata* Villouta et Santelices (Phaeophyceae: Laminariales) in Chile, 507
Edwards, S. Assessment of the physiological effect of altered salinity on greenlip (*Haliotis laevigata*) and blacklip (*Haliotis rubra*) abalone using respirometry, 1361
Edwards, S, Geraghty, D & Ralph, J. Pharmacological and histological assessment of gut muscle movement in blacklip abalone, *Haliotis rubra* (Leach), 383
Edwards, S *see* Reaburn, R
El-Saidy, D M S D & Gaber, M M A. Replacement of fish meal with a mixture of different plant protein sources in juvenile Nile tilapia, *Oreochromis niloticus* (L.) diets, 1119
Emata, A C. Reproductive performance in induced and spontaneous spawning of the mangrove red snapper, *Lutjanus argentimaculatus*: a potential candidate species for sustainable aquaculture, 849
Endemann, F *see* Kaiser, H
Enes, P & Borges, M-T. Evaluation of microalgae and industrial cheese whey as diets for *Tapes decussatus* (L.) seed: effects on water quality, growth, survival, condition and filtration rate, 299
Espinosa, G *see* Arena, L
Estrella, G *see* Freites, L
Eversole, A G *see* Turker, H
Ewart, L M *see* Shumway, S E

Fagundes, M *see* Barcellos, L J G
Falk, S *see* Ljunggren, L
Falk-Petersen, I-B & Karita Hansen, T. Early ontogeny of the spotted wolffish (*Anarhichas minor* Olafsen), 1059
Farías, A *see* Uriarte, I
Fasakin, E A, Balogun, A M & Ajayi, O O. Evaluation of full-fat and defatted maggot meals in the feeding of clariid catfish *Clarias gariepinus* fingerlings, 733
Fauconneau, B *see* Bugeon, J
Favaloro, E & Mazzola, A. Meristic variation and skeletal anomalies of wild and reared sharpsnout seabream juveniles (*Diplodus puntazzo*, Cetti 1777) off coastal Sicily, Mediterranean Sea, 575
Fermin, A C *see* Gallardo, W G
Fermin, A C *see* Reyes, O S
Figueiredo, M S R B & Anderson, A J. Ontogenetic changes in digestive proteases and carbohydrases from the Australian freshwater crayfish, redclaw *Cherax quadricarinatus* (Crustacea, Decapoda, Parastacidae), 1235
Fioreze, I *see* Barcellos, L J G
Fırat, K, Saka, Ş & Çoban, D. The effect of light intensity on early life development of common dentex *Dentex dentex* (L. 1758) larvae, 727
Fjalestad, K T, Moen, T & Gomez-Raya, L. Prospects for genetic technology in salmon breeding programmes, 397
Flajšhans, M *see* Buchtová H
Flajšhans, M *see* Hartvich, P
Focken, U *see* Hossain, M A
Ford, A *see* Williams, K C
Foumier, R *see* Khemis, I B
Frances, J *see* Stone, D A J
Frank, D M *see* Shumway, S E
Frederico Martins Pinheiro, M, Maria Guimarães de Souza, S, José Gil Barcellos, L. Exposure to 17α, 20β-dihydroxy-4-pregnen-3-one changes seminal characteristics in Nile tilapia, *Oreochromis niloticus*, 1047
Freites, L, Lodeiros, C J, Narváez, N, Estrella, G & Babarro, J M F. Growth and survival of the scallop *Lyropecten* (=*Nodipecten*) *nodosus* (L. 1758) in suspended culture in the Caribaco Gulf (Venezuela) during a non-upwelling period, 709
Fry, V M *see* Preston, N P
Furuita, H, Tanaka, H, Yamamoto, T, Suzuki, N & Takeuchi, T. Supplemental effect of vitamin A in diet on the reproductive performance and egg quality of the Japanese flounder *Paralichthys olivaceus* (T & S), 461

Gaber, M M A *see* El-Saidy, D M S D
Gajardo, G *see* Uriarte, I
Gallardo, W G, Bautista-Teruel, M N, Fermin, A C & Marte, C L. Shell marking by artificial feeding of the tropical abalone *Haliotis asinina* Linne juveniles for sea ranching and stock enhancement, 839
Gamboa-Delgado, J, Molina-Poveda, C & Cahu, C. Digestive enzyme activity and food ingesta in juvenile shrimp *Litopenaeus vannamei* (Boone, 1931) as a function of body weight, 1403
García de la Banda, I *see* Chereguini, O
García García, B *see* Vivas, M
Garduño-Lugo, M, Granados-Alvarez, I, Olvera-Novoa, M A & Muñoz-Córdova, G. Comparison of growth, fillet yield and proximate composition between Stirling Nile tilapia (wild type) (*Oreochromis niloticus*, Linnaeus) and red hybrid tilapia (Florida red tilapia × Stirling red *O. niloticus*) males, 1023
Gatlin III, D M *see* Atwood, H L
Gatlin III, D M *see* Perez-Velazquez, M
Gaxiola, G *see* Arena, L
Geraghty, D *see* Edwards, S
Gerritzen, M A *see* Lambooij, E
Ginés, R, Afonso, J M, Argüello, A, Zamorano, MJ, & López, JL. Growth in adult gilthead sea bream (*Sparus aurata* L) as a result of interference in sexual maturation by different photoperiod regimes, 73
Glencross, B D *see* Thomas, P M
Gomes, E *see* Aragão, C
Gomez-Raya, L *see* Fjalestad, K T
González-Félix, M L *see* Perez-Velazquez, M
Goshima, S *see* Niu, C
Grabowski, L *see* Cain, K D
Granados-Alvarez, I *see* Garduño-Lugo, M
Greeff, J *see* Doupé, R G
Grijalva-Chon, J M *see* Ramos-Paredes, J
Grommen, R *see* Rombaut, G
Güçlüsoy, H & Savas, Y. Interaction between monk seals *Monachus monachus* (Hermann, 1779) and marine fish

© 2003 Blackwell Publishing Ltd

farms in the Turkish Aegean and management of the problem. 777
Gunasekera, R M *see* Turchini, G M
Gwak, W-S. Effects of shelter on growth and survival in age-0 black sea bass, *Centropristis striata* (L.). 1387

Hancz, C, Romvári, R, Szabó, A, Molnár, T, Magyary, I & Horn, P. Measurement of total body composition changes of common carp by computer tomography. 991
Hardy, R. Ornamental fish. 903
Hardy, R W *see* Cheng, Z J
Hart, P R *see* Crear, B J
Hartvich, P, Flajšhans, M, Nýdl, V, Vondra, T & Pavlíček, T. Growth testing of two breeds of common carp, *Cyprinus carpio* L. (Hungarian mirror and Třeboň scaly carp), in ponds with low and high stocking density. 1015
Hashim, R *see* Chong, A
Hattori, M, Sawada, Y, Takagi, Y, Suzuki, R, Okada, T & Kumai, H. Vertebral deformities in cultured red sea bream, *Pagrus major*, Temminck and Schlegel. 1129
Heath, D D *see* Johnson, R M
Heath, D D *see* Yanick, J F
Heath, J W *see* Yanick, J F
Hee Jung, S, Saing Sim, D, Park, M-S, Jo, Q & Kim, Y. Effects of formalin on haematological and blood chemistry in olive flounder, *Paralichthys olivaceus* (Temminck et Schlegel). 1269
Heinimaa, S. Liver glycogen content of Atlantic salmon (*Salmo salar* L.) parr decreased despite the unchanging carbohydrate content of feed in the hatchery in winter. 1413
Hemandez-Llamas, A *see* Villarreal, H
Henryon, M & Purvis, I W. Eggs and hatchlings of the freshwater crayfish, marron (*Cherax tenuimanus* Smith), can be artificially incubated at high population densities, and are most successfully incubated at water temperatures between 20 °C and 24 °C. 1311
Hernández, D *see* Arena, L
Hernández-López J & Vargas-Albores F. A microplate technique to quantify nutrients (NO_2^-, NO_3^-, NH_4^+ and PO_4^{3-}) in seawater. 1201
Herrera, M *see* Chereguini, O
Hewitt, R *see* Villarreal, H
Higgs, D *see* Maina, J G
Higgs, D A *see* Maltby (née Wieruszewski), J B
Horn, P *see* Hancz, C
Hossain, M A, Focken, U & Becker, K. Antinutritive effects of galactomannan-rich endosperm of Sesbania (*Sesbania aculeata*) seeds on growth and feed utilization in tilapia, *Oreochromis niloticus*. 1171
Hossain, M A, Little, D C & Bhujel, R C. Nursing duration and pond fertilization level affect polycultures of Indian major carp (rohu *Labeo rohita* and mrigal *Cirrhina mrigala*) with monosex Nile tilapia *Oreochromis niloticus*. 765
Hotos, G N. Growth, filtration and ingestion rate of the rotifer *Brachionus plicatilis* fed with large (*Asteromonas gracilis*) and small (*Chlorella* sp.) celled algal species. 793
Hsieh, S-L *see* Chen, Y-N
Huang, C-H, Lin, W-Y & Wu, S-M. Effect of dietary calcium and phosphorus supplementation in fish meal-based diets on the growth of soft-shelled turtle *Pelodiscus sinensis* (Wiegmann). 843
Huidobro, A *see* van de Vis, H
Huntingford, F *see* Brown, J H
Hwang, E K *see* Park, C S
Hylland, K *see* Skog, T-E

Ibarra, A M *see* Arcos, G F
Ibarra, A M *see* Pérez-Rostro, C I
Imada, O *see* Stott, A
Ishikawa, M *see* Sumule, O
Iwama, G *see* Maina, J G

Jian, C-Y, Cheng, S-Y & Chen, J-C. Temperature and salinity tolerances of yellowfin sea bream, *Acanthopagrus latus*, at different salinity and temperature levels. 175
Jo, Q *see* Hee Jung, S
Jobling, M & Bendiksen, E Å. Dietary lipids and temperature interact to influence tissue fatty acid compositions of Atlantic salmon, *Salmo salar* L., parr. 1423
Jobling M. Do changes in Atlantic salmon, *Salmo salar* L., fillet fatty acids following a dietary switch represent washout or dilution? Test of a dilution model and its application. 1215
Jobling, M & Johansen, S J S. Fat distribution in Atlantic salmon *Salmo salar* L. in relation to body size and feeding regime. 311
Jobling, M. The thermal growth coefficient (TGC) model of fish growth: a cautionary note. 581
Jobling, M *see* Johansen, S J S
Jobling, M *see* Johansen, S J S
Johansen, S J S, Sveier, H & Jobling, M. Lipostatic regulation of feed intake in Atlantic salmon *Salmo salar* L. defending adiposity at the expense of growth?. 317
Johansen, S J S, Sveier, H & Jobling, M. Lipostatic regulation of feed intake in Atlantic salmon *Salmo salar* L. defending adiposity at the expense of growth?. 1245
Johansen, S J S *see* Jobling, M
Johnson, R M, Bryden, C A & Heath, D D. Utility of genetically based health indicators for selection purposes in captive-reared chinook salmon, *Oncorhynchus tshawytscha*, Walbaum. 1029
Johnson, S C *see* Park, I-S
Johnston, I A *see* Bjornevik, M
José Gil Barcellos, L *see* Frederico Martins Pinheiro, M
Juell, J-E, Oppedal, F, Boxaspen, K & Taranger, G L. Submerged light increases swimming depth and reduces fish density of Atlantic salmon *Salmo salar* L. in production cages. 469
Jun, H-k *see* Wang, X

Kaiser, H, Endemann, F & Paulet, T G. A comparison of artificial and natural foods and their combinations in the rearing of goldfish, *Carassius auratus* (L.). 943
Karita Hansen, T *see* Falk-Petersen, I-B
Karl, H, Kuhlmann, H & Ruoff, U. Transfer of PCDDs and PCDFs into the edible parts of farmed rainbow trout, *Oncorhynchus mykiss* (Walbaum), via feed. 1009
Karlsen, Ø *see* Bjornevik, M
Kassila, J. Effects of lining and drying on the chemical composition of sediments and influence of organic carbon on carp growth in aquaculture ponds. 333
Kato, K *see* Watts, M
Katz, T *see* Lupatsch, I
Kennedy, C J *see* Maltby (*née* Wieruszewski), J B
Kestin, S *see* van de Vis, H
Khalil Jafri, A *see* Usmani, N
Khemis, I B, Audet, C, Foumier, R & de la Noüe, J. Early weaning of winter flounder (*Pseudopleuronectes americanus* Walbaum) larvae on a commercial microencapsulated diet. 445

© 2003 Blackwell Publishing Ltd

Kiessling, A *see* Bjornevik, M
Kim, D S *see* Park, I-S
Kim, K-W, Wang, X, Choi, S-M, Bai, S C, Choi, Y-H & Choi, S-H. Long-term evaluation of extruded diets compared with raw fish moist diet for growing Korean rockfish, *Sebastes schlegeli* (Hilgendorf), 357
Kim, K-W, Wang, X, Choi, S-M, Park, G-J, Koo, J-W & Bai, S C. No synergistic effects by the dietary supplementation of ascorbic acid, α-tocopheryl acetate and selenium on the growth performance and challenge test of *Edwardsiella tarda* in fingerling Nile tilapia, *Oreochromis niloticus* L., 1053
Kim, K-W *see* Wang, X
Kim, Y *see* Hee Jung, S
Kisia, S M *see* Maina, J G
Kloosterboer, K *see* van de Vis, H
Kloosterboer, R J *see* Lambooij, E
Koike, Y *see* Stott, A
Koo, J-G *see* Park, I-S
Koo, J-W *see* Kim, K-W
Koshio, S *see* Sumule, O
Kreutz, L C *see* Barcellos, L J G
Kuhlmann, H *see* Karl, H
Kuhlmann, H *see* van de Vis, H
Kumai, H *see* Hattori, M
Kuo, C-M *see* Chen, Y-N
Kwantong, S & Bart, A N. Effect of cryoprotectants, extenders and freezing rates on the fertilization rate of frozen striped catfish, *Pangasius hypophthalmus* (Sauvage), sperm, 887
Kyaw, H A *see* Bart, A N

Laing, I. Bivalve Molluscs: Biology, Ecology & Culture, 1107
Lambert, Y *see* Plante, S
Lambooij, B *see* van de Vis, H
Lambooij, E, Kloosterboer, R J, Pieterse, C, Gerritzen, MA, & van de Vis, J W. Stunning of farmed African catfish (*Clarias gariepinus*) using a captive needle pistol: assessment of welfare aspects, 1353
Larsson, P-O *see* Pickova, J
Lawrence, A L *see* Perez-Velazquez, M
Lee, D *see* Niu, C
Lefevre, F *see* Bugeon, J
Lie, Ø *see* Christophersen, G
Lim, L C *see* Yue, G H
Lin, T-S *see* Yang, S-D
Lin, W-Y *see* Huang, C-H
Lindén, B *see* Ljunggren, L
Liou, C-H *see* Yang, S-D
Little, D C *see* Hossain, M A
Litvak, M K *see* Rideout, R M
Liu, C-H *see* Cheng, W
Ljunggren, L, Staffan, F, Falk, S, Lindén, B & Mendes, J. Weaning of juvenile pikeperch, *Stizostedion lucioperca* L., and perch, *Perca fluviatilis* L., to formulated feed, 281
Lodeiros, C J *see* Freites, L
López, JL *see* Ginés, R
Ludwig, G M. Tank culture of larval sunshine bass, *Morone chrysops* (Rafinesque) × *M. saxatilis* (Walbaum), at three feeding levels, 1277
Lupatsch, I, Katz, T & Angel, D L. Assessment of the removal efficiency of fish farm effluents by grey mullets: a nutritional approach, 1367
Lymbery, A J *see* Doupé, R G
Lytwyn, M *see* Cain, K D

Madrid, J A *see* Vivas, M
Magyary, I *see* Hancz, C
Maina, J G, Beames, R M, Higgs, D, Mbugua, P N, Iwama, G & Kisia, S M. Partial replacement of fishmeal with sunflower cake and corn oil in diets for tilapia *Oreochromis niloticus* (Linn): effect on whole body fatty acids, 601
Maitra, S & Ray, A K. Inhibition of digestive enzymes in rohu, *Labeo rohita* (Hamilton), fingerlings by tannin: an *in vitro* study, 93
Maltby (née Wieruszewski), J B, Albright, L J, Kennedy, C J & Higgs, D A. Effect of route of administration and carrier on bioavailability and kinetics of astaxanthin in Atlantic salmon *Salmo salar* L., 829
Manosroi, A, Meng-Umphan, K & Manosroi, J. Annual sex hormonal profiles, gonad development and age determination of the Mekong giant catfish (*Pangasianodon gigas*, Chevey), 1379
Manosroi, J *see* Manosroi, A
Mantingh, I *see* Azim, M E
Maria Guimarães de Souza, S. *see* Frederico Martins Pinheiro, M
Marques, A C *see* Aragão, C
Marte, C L *see* Gallardo, W G
Martinez, C *see* Chereguini, O
Mazzola, A *see* Favaloro, E
Mbugua, P N *see* Maina, J G
McCauley S *see* Brown, J H
Mendes, J *see* Ljunggren, L
Meng-Umphan, K *see* Manosroi, A
Milach, Â M *see* Peixoto, S
Milstein, A *see* Wahab, M A
Minařík, B *see* Řehulka, J
Moen, T *see* Fjalestad, K T
Molina-Poveda, C *see* Gamboa-Delgado, J
Molnár, T *see* Hancz, C
Montalvan, M *see* Arena, L
Morzel, M & van de Vis, H. Effect of the slaughter method on the quality of raw and smoked eels (*Anguilla anguilla* L.), 1
Münkner, W *see* van de Vis, H
Muñoz-Córdova, G *see* Garduño-Lugo, M
Mukherjee, S C *see* Choudhury, S
Munday, B L *see* Watts, M
Munuswamy, N *see* Velu, C S
Mylonas, C C, Papadaki, M & Divanach, P. Seasonal changes in sperm production and quality in the red porgy *Pagrus pagrus* (L.), 1161

Nair, R M & Appukuttan, K K. Effect of temperature on the development, growth, survival and settlement of green mussel *Perna viridis* (Linnaeus, 1758), 1037
Nakao, S *see* Niu, C
Nam, Y K *see* Park, I-S
Narayanan, R B *see* Yoganandhan, K
Narváez, N *see* Freites, L
Navarro, J M *see* Uriarte, I
N'Douba, V *see* Ouattara, N I
Nesvadba, P *see* van de Vis, H
Nevejan, N *see* Uriarte, I
Niu, C, Lee, D, Goshima, S & Nakao, S. Effects of temperature on food consumption, growth and oxygen consumption of freshwater prawn *Macrobrachium rosenbergii* (de Man 1879) postlarvae, 501
Norris, B J & Preston, N P. Triploid induction in the tropical abalone, *Haliotis asinina* (Linne), with 6-dimethylaminopurine, 261

© 2003 Blackwell Publishing Ltd

Norris. B J *see* Coman. F E
Nýdl. V *see* Hartvich. P

Oehlenschläger. J *see* van de Vis. H
Oh. H S *see* Park. I-S
Okada. T *see* Hattori. M
Oliva-Teles. A *see* Pereira. T G
Olvera-Novoa. M A *see* Garduño-Lugo. M
Ong. D *see* Yue. G H
Oppedal. F *see* Juell. J-E
Orban. L *see* Yue. G H
Otterå. H *see* van de Vis. H
Ouattara. N I. Teugels. G G. N'Douba. V & Philippart. J-C. Aquaculture potential of the black-chinned tilapia. *Sarotherodon melanotheron* (Cichlidae). Comparative study of the effect of stocking density on growth performance of landlocked and natural populations under cage culture conditions in Lake Ayame (Côte d'Ivoire). 1223

Palacios. E & Racotta. I S. Effect of number of spawns on the resulting spawn quality of 1-year-old pond-reared *Penaeus vannamei* (Boone) broodstock. 427
Palacios. E *see* Arcos. G F
Papadaki. M *see* Mylonas. C C
Park. C S. Hwang. E K & Sohn. C H. A stable seeding method for *Porphyra pseudolinearis* Ueda (Rhodophyta): developing a new species for cultivation of *Porphyra* in Korea. 895
Park. G-J *see* Kim. K-W
Park. G-J *see* Wang. X
Park. I-S. Nam. Y K. Douglas. S E. Johnson. S C & Kim. D S. Genetic characterization. morphometrics and gonad development of induced interspecific hybrids between yellowtail flounder. *Pleuronectes ferrugineus* (Storer) and winter flounder. *Pleuronectes americanus* (Walbaum). 389
Park. I-S. Oh. H S & Koo. J-G. Effect of oral tamoxifen on growth and survival in the bagrid catfish *Pseudobagrus fulvidraco*. 1471
Park. M-S *see* Hee Jung. S
Parkinson. S *see* Stone. D A J
Parraguez. M *see* Colihueque. N
Partridge. G J *see* Doupé. R G
Patel. A B & Yakupitiyage. A. Mixed feeding schedules in semi-intensive pond culture of Nile tilapia. *Oreochromis niloticus*. L.: is it necessary to have two diets of differing protein contents?. 1343
Paterson. B D *see* Williams. K C
Patimah. I *see* Ruzainah. A
Pattnaik. P *see* Choudhury. S
Paulet. T G *see* Kaiser. H
Pavlíček. T *see* Hartvich. P
Peixoto. S. Cavalli. R O. D'Incao. F. Milach. Ã M & Wasielesky. W. Ovarian maturation of wild *Farfantepenaeus paulensis* in relation to histological and visual changes. 1255
Pendrey. R C *see* Coman. F E
Peng. H-K *see* Yang. S-D
Pereira. T G & Oliva-Teles. A. Evaluation of corn gluten meal as a protein source in diets for gilthead sea bream (*Sparus aurata* L.) juveniles. 1111
Pérez-Rostro. C I & Ibarra. A M. Heritabilities and genetic correlations of size traits at harvest size in sexually dimorphic Pacific white shrimp (*Litopenaeus vannamei*) grown in two environments. 1079
Pérez-Rostro. C I & Ibarra. A M. Quantitative genetic parameter estimates for size and growth rate traits in Pacific white shrimp. *Penaeus vannamei* (Boone 1931) when reared indoors. 543
Pérez-Rostro. C I *see* Ibarra. A M
Perez-Velazquez. M. González-Félix. M L. Lawrence. A L & Gatlin III. D M. Changes in lipid class and fatty acid composition of adult male *Litopenaeus vannamei* (Boone) in response to culture temperature and food deprivation. 1205
Philippart. J-C *see* Ouattara. N I
Pickova. J & Larsson. P-O. Rearing and release experiments with Baltic cod. 1231
Pieterse. C *see* Lambooij. E
Pinillos. M L. Delgado. M J & Scott. A P. Seasonal changes in plasma gonadal steroid concentrations and gonadal morphology of male and female tench (*Tinca tinca*. L.). 1181
Pirhonen. J. Schreck. C B & Reno. P W. Can smolting be assessed by food intake in steelhead trout. *Oncorhynchus mykiss* (Walbaum)?. 1459
Plante S. Audet C. Lambert Y & de la Noüe J. Comparison of stress responses in wild and captive winter flounder (*Pseudopleuronectes americanus* Walbaum) broodstock. 803
Portz. L & Cyrino. J E P. Comparison of the amino acid contents of roe. whole body and muscle tissue and their A/E ratios for largemouth bass *Micropterus salmoides* (Lacepède. 1802). 585
Preston. N P. Coman. F E & Fry. V M. Shrimp pond zooplankton dynamics and the efficiency of sampling effort. 373
Preston. N P *see* Coman. F E
Preston. N P *see* Norris. B J
Purvis. I W *see* Henryon. M

Quevedo. R M *see* Barcellos. L J G

Racotta. I S *see* Arcos. G F
Racotta. I S *see* Palacios. E
Ralph. J *see* Edwards. S
Ramos-Paredes. J & Grijalva-Chon. J M. Allozyme genetic analysis in hatchery strains and wild blue shrimp. *Penaeus* (*Litopenaeus*) *stylirostris* (Stimpson). from the Gulf of California. 221
Ramsay. J M. Speare. D J. Becker. J A & Daley. J. *Loma salmonae*-associated xenoma onset and clearance in rainbow trout. *Oncorhynchus mykiss* (Walbaum): comparisons of *per os* and cohabitation exposure using survival analysis. 1329
Raso. S & Anderson. T A. Effects of dietary fish oil replacement on growth and carcass proximate composition of juvenile barramundi (*Lates calcarifer*). 813
Ray. A K *see* Maitra. S
Reaburn. R & Edwards. S. Modelling the growth of cultured greenlip abalone (*Haliotis laevigata* Leach): practical modes of measurement. 253
Řehulka. J & Minařík. B. Effect of lecithin on the haematological and condition indices of the rainbow trout *Oncorhynchus mykiss* (Walbaum). 617
Reilly. J *see* Cain. K D
Reno. P W *see* Pirhonen. J
Reyes. O S. & Fermin. A C. Terrestrial leaf meals or freshwater aquatic fern as potential feed ingredients for farmed abalone *Haliotis asinina* (Linnaeus 1758). 593
Rideout. R M. Litvak. M K & Trippel. E A. The development of a sperm cryopreservation protocol for winter flounder. *Pseudopleuronectes americanus* (Walbaum): evaluation of cryoprotectants and diluents. 653

© 2003 Blackwell Publishing Ltd

Robb, D *see* van de Vis, H
Roberts, R *see* Williams, K C
Rodgers, L J *see* Williams, K C
Rodrigues, L B *see* Barcellos, L J G
Rombaut, G, Grommen, R, Zizhong, Q, Vanhoof, V, Suantika, G, Dhert, P, Sorgeloos, P & Verstraete, W. Improved performance of an intensive rotifer culture system by using a nitrifying inoculum (ABIL), 165
Romvári, R *see* Hancz, C
Rosas, C *see* Arena, L
Ross, B *see* Brown, J H
Roth, B *see* van de Vis, H
Ritar, A J *see* Smith, G G
Ruoff, U *see* Karl, H
Ruohonen, K *see* Savolainen, R
Ruscoe, I *see* Williams, K C
Ruzainah, A, Siti Azizah, M N, Patimah, I & Amirrudin, A. RAPD fingerprinting of the eel-loaches *Pangio filinaris* and *Pangio piperata*: preliminary evaluation, 959

Sahul Hameed, A S *see* Yoganandhan, K
Saing Sim, D *see* Hee Jung, S
Saka, Ş *see* Firat, K
Sánchez, A *see* Arena, L
Sánchez-Vázquez, F J *see* Vivas, M
Sathish, S *see* Yoganandhan, K
Savas, Y *see* Güçlüsoy, H
Savolainen, R, Ruohonen, K & Tulonen, J. Effects of bottom substrate and presence of shelter in experimental tanks on growth and survival of signal crayfish, *Pacifastacus leniusculus* (Dana) juveniles, 289
Sawada, Y *see* Hattori, M
Schreck, C B *see* Pirhonen, J
Scott McKinley, R *see* Wagner, G N
Scott, A P *see* Pinillos, M L
Shikano, T & Taniguchi, N. DNA markers for estimation of inbreeding depression and heterosis in the guppy *Poecilia reticulata*, 905
Shimizu, E *see* Asano, L
Shirdhankar, M M & Thomas, P C. Response to bidirectional selection for naupliar length in *Artemia franciscana*, 535
Shumway, S E, Frank, D M, Ewart, L M & Ward, J E. Effect of yellow loess on clearance rate in seven species of benthic, filter-feeding invertebrates, 1391
Siddhuraju, P & Becker, K. Comparative nutritional evaluation of differentially processed mucuna seeds [*Mucuna pruriens* (L.) DC. var. *utilis* (Wall ex Wight) Baker ex Burck] on growth performance, feed utilization and body composition in Nile tilapia (*Oreochromis niloticus* L.), 487
Siddhuraju, P *see* Afuang, W
Singer, T D *see* Wagner, G N
Singh, H *see* Tibile, R M
Singh, M *see* Azim, M E
Siti Azizah, M N *see* Ruzainah, A
Skog, T-E, Hylland, K, Torstensen, B E & Berntssen, M H G. Salmon farming affects the fatty acid composition and taste of wild saithe *Pollachius virens* L., 999
Smith, G G, Thompson, P A, Ritar, A J & Dunstan, G A. Effects of starvation and feeding on the fatty acid profiles of Stage I phyllosoma of the spiny lobster, *Jasus edwardsii*, 419
Sofie Grefsrud, E, Strand, Ø & Askvik Haugum, G. Handling time and predation behaviour by the crab, *Cancer pagurus*, preying on cultured scallop, *Pecten maximus*, 1191
Sohn, C H *see* Park, C S
Sørensen, N K *see* van de Vis, H
Sorgeloos, P *see* Chuan Lim, L
Sorgeloos, P *see* Rombaut, G
Soso, A B *see* Barcellos, L J G
Speare, D J *see* Ramsay, J M
Sree, A *see* Choudhury, S
Staffan, F *see* Ljunggren, L
Stone, D A J, Allan, G L & Anderson, A J. Carbohydrate utilization by juvenile silver perch, *Bidyanus bidyanus* (Mitchell). I. Uptake and clearance of monosaccharides following intraperitoneal injection, 97
Stone, D A J, Allan, G L & Anderson, A J. Carbohydrate utilization by juvenile silver perch, *Bidyanus bidyanus* (Mitchell). II. Digestibility and utilization of starch and its breakdown products, 109
Stone, D A J, Allan G L & Anderson, A J. Carbohydrate utilization by juvenile silver perch, *Bidyanus bidyanus* (Mitchell). III. The protein-sparing effect of wheat starch-based carbohydrates, 123
Stone, D A J, Allan G L & Anderson, A J. Carbohydrate utilization by juvenile silver perch, *Bidyanus bidyanus* (Mitchell). IV. Can dietary enzymes increase digestible energy from wheat starch, wheat and dehulled lupin?, 135
Stone, D A J, Allan, G L, Parkinson, S & Frances, J. Replacement of fishmeal in diets for Australian silver perch *Bidyanus bidyanus* (Mitchell). II. Effects of cooking on digestibility of a practical diet containing different starch products, 195
Stott, A, Takeuchi, T, Koike, Y & Imada, O. Settling and raising postlarval abalone *Haliotis diversicolor* supertexta (Lischke) on microparticulate diets embedded in a layer of alginate, 561
Strand, Ø & Brynjeldsen, E. On the relationship between low winter temperatures and mortality of juvenile scallops, *Pecten maximus* L., cultured in western Norway, 1417
Strand, Ø *see* Sofie Grefsrud, E
Suantika, G *see* Rombaut, G
Sumagaysay-Chavoso, N S. Nitrogen and phosphorus digestibility and excretion of different-sized groups of milkfish (*Chanos chanos* Forsskal) fed formulated and natural food-based diets, 407
Sumule, O, Koshio, S, Teshima, S & Ishikawa, M. Energy budget of the Japanese flounder *Paralichthys olivaceus* (Temminck & Schlegel) larvae fed HUFA-enriched and non-enriched *Artemia* nauplii, 877
Sundby, A *see* Borrebaek, B
Suzuki, N *see* Furuita, H
Suzuki, R *see* Hattori, M
Sveier, H *see* Johansen, S J S
Svobodova, Z *see* Buchtová H
Szabó, A *see* Hancz, C
Szabó, T. Ovulation induction in northern pike *Esox lucius* L. using different GnRH analogues, Ovaprim, Dagin and carp pituitary, 479

Tacon, A G J *see* Decamp, O
Takagi, Y *see* Hattori, M
Takeuchi, T *see* Furuita, H
Takeuchi, T *see* Stott, A
Tala, F B *see* Edding, M E
Tamaru, C S *see* Asano, L
Tanaka, H *see* Furuita, H
Taniguchi, N *see* Shikano, T
Taranger, G L *see* Juell, J-E
Taylor, A *see* Brown, J H

© 2003 Blackwell Publishing Ltd

Tejada, M *see* van de Vis, H
Terhune J S *see* Bosworth, B G
Terra, S *see* Barcellos, L J G
Teshima, S *see* Sumule, O
Teugels, G G *see* Ouattara, N I
Thomas, C W *see* Crear, B J
Thomas, P C *see* Shirdhankar, M M
Thomas, P M, Carter, C G, Carragher, J F & Glencross, B D. Preliminary information on temporal changes in the blood chemistry of farmed southern bluefin tuna, *Thunnus maccoyii* (Castelnau), after feeding and repeated sampling disturbance, 265
Thompson, P A *see* Smith, G G
Tibile, R M & Singh, H. Larval rearing and spat production of edible oyster *Crassostrea gryphoides* (Schlotheim), 785
Tomasso, J R *see* Atwood, H L
Torstensen, B E *see* Skog, T-E
Trippel, E A *see* Rideout, R M
Tulonen, J *see* Savolainen, R
Turchini, G M, Gunasekera, R M & De Silva, S S. Effect of crude oil extracts from trout offal as a replacement for fish oil in the diets of the Australian native fish Murray cod *Maccullochella peelii peelii*, 697
Turker, H, Eversole, A G & Brune, D E. Effect of Nile tilapia, *Oreochromis niloticus* (L.), size on phytoplankton filtration rate, 1087
Turker, H, Eversole, A G & Brune, D E. Effect of temperature and phytoplankton concentration on Nile tilapia *Oreochromis niloticus* (L.) filtration rate, 453

Uddin, N *see* Al-Harbi, A H
Uriarte, I, Farías, A, Navarro, J M, Cancino, J, Gajardo, G & Nevejan, N. Effects of lipid emulsions and temperature on the hatchery performance of Chilean scallop Argopecten *purpuratus* (Lamarck 1819) larvae, 899
Usmani, N, Khalil Jafri, A & Afzal Khan, M. Nutrient digestibility studies in *Heteropneustes fossilis* (Bloch), *Clarias batrachus* (Linnaeus) and *C. gariepinus* (Burchell), 1247

Valentino, F *see* Woods, C M C
van Dam, A A *see* Azim, M E
van de Vis, H, Kestin, S, Robb, D, Oehlenschläger, J, Lambooij, B, Münkner, W, Kuhlmann, H, Kloosterboer, K, Tejada, M, Huidobro, A, Otterå, H, Roth, B, Sorensen, N K, Akse, L, Byrne, H & Nesvadba, P. Is humane slaughter of fish possible for industry?, 211
van de Vis, H *see* Morzel, M
van de Vis, J W *see* Lambooij, E
Vanhoof, V *see* Rombaut, G
Van Wormhoudt, A *see* Arena, L
Vargas-Albores, F *see* Hernández-López, J
Vazquez-Boucard, C *see* Arcos, G F
Velu, C S & Munuswamy, N. Nutritional evaluation of decapsulated cysts of fairy shrimp (*Streptocephalus dichotomus*) for ornamental fish larval rearing, 967
Verdegem, M C J *see* Azim, M E
Vergara, N *see* Colihueque, N
Verstraete, W *see* Rombaut, G
Villarreal, H, Hernandez-Llamas, A & Hewitt, R. Effect of salinity on growth, survival and oxygen consumption of juvenile brown shrimp, *Farfantepenaeus californiensis* (Holmes), 187
Vivas, M, Sánchez-Vázquez, F J, García García, B & Madrid, J A. Macronutrient self-selection in European sea bass in response to dietary protein or fat restriction, 271
Vondra, T *see* Hartvich, P
Vorlová, L *see* Buchtová H

Wagner, G N, Singer, T D & Scott McKinley, R. The ability of clove oil and MS-222 to minimize handling stress in rainbow trout (*Oncorhynchus mykiss* Walbaum), 1139
Wahab, M A, Alim, M A & Milstein, A. Effects of adding the small fish punti (*Puntius sophore* Hamilton) and/or mola (*Amblypharyngodon mola* Hamilton) to a polyculture of large carp, 149
Wang, X, Kim, K-W, Park, G-J, Choi, S-M, Jun, H-k & Bai, S C. Evaluation of l-ascorbyl-2-glucose as the source of vitamin C for juvenile Korean rockfish *Sebastes schlegeli* (Hilgendorf), 1337
Wang, X *see* Kim, K-W
Ward, J E *see* Shumway, S E
Wasielesky, W *see* Peixoto, S
Wassermann, G J & Bertolla Afonso, L O. Sex reversal in Nile tilapia (*Oreochromis niloticus* Linnaeus) by androgen immersion, 65
Watts, M, Kato, K, Munday, B L & Burke, C M. Ontogeny of immune system organs in northern bluefin tuna (*Thunnus ohentalis*, Temminck and Schlegel 1844), 13
Webb, K *see* Atwood, H L
Williams, K C, Barlow, C G, Rodgers, L J & Ruscoe, I. Potential of meat meal to replace fish meal in extruded dry diets for barramundi, *Lates calcarifer* (Bloch). I. Growth performance, 23
Williams, K C, Paterson, B D, Barlow, C G, Ford, A & Roberts, R. Potential of meat meal to replace fish meal in extruded dry diets for barramundi, *Lates calcarifer* (Bloch). II. Organoleptic characteristics and fatty acid composition, 33
Wise, D J *see* Bosworth, B G
Wolters, W R *see* Bosworth, B G
Wong, C C *see* Yue, G H
Woods, C M C & Valentino, F. Frozen mysids as an alternative to live *Artemia* in culturing seahorses *Hippocampus abdominalis*, 757
Wu, S-M *see* Huang, C-H

Yakupitiyage, A *see* Patel, A B
Yamamoto, T *see* Furuita, H
Yang, S-D, Lin, T-S, Liou, C-H & Peng, H-K. Influence of dietary protein levels on growth performance, carcass composition and liver lipid classes of juvenile *Spinibarbus hollandi* (Oshima), 661
Yanick, J F, Heath, J W & Heath, D D. Survival and growth of local and transplanted blue mussels (*Mytilus trossulus*, Lamark), 869
Yen, P T *see* Bart, A N
Yoganandhan, K, Sathish, S, Narayanan, R B & Sahul Hameed, A S. A rapid non-enzymatic method of DNA extraction for PCR detection of white spot syndrome virus in shrimp, 1093
Yue, G H, Ong, D, Wong, C C, Lim, L C & Orban, L. A strain-specific and a sex-associated STS marker for Asian arowana (*Scleropages formosus*, Osteoglossidae), 951

Zamorano, MJ *see* Ginés, R
Zizhong, Q *see* Rombaut, G

© 2003 Blackwell Publishing Ltd

Keyword index

α-amylase, 95
α-tocopheryl acetate, 1053
AA2G, 1337
abalone, 253, 561, 839, 1361
  culture, 507
  Haliotis asinina, 593
ABIL, 165
absorption, 829
Acanthopagrus
  butcheri, 683
  latus, 175
accession numbers *L. vannamei*, 981
acid–base balance, 1069
activity, 1361
additive genetic variation, 1297
advanced nursing, 765
A/E ratios, 585
Aegean Sea, 777
AFLP, 951
African catfish, 1353
age determination, 1379
air transport, 923
algae, 1233
  culture, 507
algal propagation, 507
alkaloid, 1261
allozymes, 221, 525
alternative protein sources, 1111
amino acid metabolism, 1443
ammonia, 821
anaesthetic, 1139
Anarhichas minor, 1059
anomalies, 579
antibacterial, 1075
appetite, 1463
aquaculture, 205, 777
  pond, 373
aquatic food industry waste, 697
Argopecten purpuratus, 902
Artemia, 419, 535, 943
  nauplii, 877
artificial spawning, 1321
ascorbic acid, 1053
Asian sea bass, 23, 33
astaxanthin, 829
Asteromonas gracilis, 793
Atlantic
  cod, 584
  salmon, 212, 584
  salmon *Salmo salar* L., 311, 317
autoclaving, 487

β-1,3 glucan, 1244
17,20βP, 1047
bacteria, 299
  flora, 667
bacterial
  flora, 43
  kidney disease, 1029
  load, 517
bagrid catfish, 1474
bidirectional, 535
Bidyanus bidyanus, 97, 123, 135
bioavailability, 829
biochemical composition, 427
biometric and weight parameters, 719
bioremediation, 1367
bivalve, 709
black sea bass, 1387
blacklip, 1361
blood chemistry, 267
blue shrimp, 221
body
  component indices, 633
  composition, 311, 317, 991, 1023, 1215
bonytongue, 951
Brachionus plicatilis, 165, 793
breeds, 1015
broodstock, 803, 869
brown trout, 525

C. gariepinus, 1247
cage culture, 1229
calcium, 843, 975
Cancer pagurus, 1191
captivity, 803
carbohydrate, 97, 109, 123, 135, 195
carcass composition, 661
carp, 1321
  pituitary, 479
catfish, 569
catla, 149
Channa punctatus, 975
Chanos chanos, 407
cheese whey, 299
cheliped injuries, 289
chemical content, 641
Chile, 507
Chlorella, 793
chloride, 555
chronic stress, 803
clam, 299
Clarias batrachus, 1247
  gariepinus, 1353
clay, 1391
clove oil, 1139
cod, 55, 1233
  release, 1233
cohabitation, 1329
coliforms, 517, 680
collagen, 1287
common
  carp, 991, 1015
  dentex, 727
communal testing, 1015
computer tomography, 991
condition

© 2003 Blackwell Publishing Ltd

factor, 584, 1413
index, 803
connective tissue, 1287
consecutive spawns, 427
constant feeding schedule, 1343
copper, 975
corn
gluten meal, 1111
oil, 601
cortisol, 267, 1463, 1469
covariate, 543
crassostrea, 785
crayfish, 1235, 1311
crossbreeding, 1297
cryopreservation, 653, 887
and vitrification, 609
cryopreserved sperm, 739
cryoprotectant, 609, 653, 887
culture, 281, 1417
cumulative mortality, 869
cyprinid, 661
cyprinus carpio L., 1015

daily weight gain, 1343
defatted, 733
deformity, 1129
density, 1311
Dentex dentex, 727
detection, 1093
development, 1059
diatom, 561
dibenzofurans, 1009
Dicentrarchus labrax, 271
diet, 281, 999, 1261
dietary
fat, 311
lipid, 241
protein content, 1343
digestibility, 109, 135, 195, 407, 913, 1119, 1247
digestive enzymes, 1403
digestion, 1235
diluent, 653
dioxins, 1009
diploid and triploid tench, 719
discus, 913
disease dynamics, 1329
dissolved ions, 241
distiller's dried grain with solubles, 1303
diversity, 667
6-DMAP, 264
DNA
extraction, 1093
fingerprinting, 959
domestication, 1453
dragonfish, 951

early life history, 1059
earthen pond, 43
eel, 1, 212
eel-loaches, 959
effluents, 1367
egg quality, 427, 461, 849
eggs, 1311
elastomer, 49
embryology, 1059
embryos, 609
endogenous food reserves, 727
energy budget, 877
enrichment, 1367
environment, 1079
environmental
correlation, 543
parameters, 709
stress, 629
enzymatic polymorphism, 981
enzymes, 135, 1235
Esox lucius, 479
essential amino acids, 585
excretion, 407
exercise, 55, 1287
experimental design, 1099
extender, 887
eyestalk ablation, 749

Farfantepenaeus
californiensis, 187
pauleusis, 1255
fat, 1247
deposition, 311
fasting, 271
fatty
acid composition, 999
acids, 419, 601, 697, 1205
FCR, 85
fecundity, 849
feed, 281
conversion ratio, 487
intake, 317
lipids, 1215
ration, 1343
utilization, 1147, 1171
feeding, 23, 839, 991
behaviour, 271
frequency, 1247
study, 1009
fertilization, 739
fibre, 821
fillet, 1023
filter-feeding, 1391
filtration rate, 453, 793, 1087
first-feeding, 445
fish, 1099
culture ponds, 680
density, 469
farming, 999
farms, 777, 1367
feed, 680
flesh quality, 212
meal, 1111, 1119
meal replacement, 23, 33, 487, 1443
muscle, 1215
oil replacement, 697, 813
oils, 1215, 1423
packaging, 923
pathogens, 1075
tags, 683
fishmeal replacement, 195, 913
flesh
colour, 55
quality, 1
food

© 2003 Blackwell Publishing Ltd

consumption, 501
deprivation, 1205
formalin, 1269
formulated, 281
diet, 593
freezing procedures, 887
freshwater
giant prawn, 1453
ornamental, 937
frozen food, 757
fry, 1277
full fat, 733

genetic
correlation, 543, 1079
improvement, 1297
marker, 397
modified organism, 397
variability, 221, 525
genetics, 205
gilt-head seabream, 212, 1111
glucokinase, 235
glucose, 97
glycogen, 235
GnRH analogues, 479
goldfish, 943
gonad development, 1379
gonadosomatic index, 719
green mussel, 1037
greenlip, 253, 1361
growth, 49, 73, 187, 205, 253, 281, 317, 333, 439, 487, 501, 543, 584, 633, 661, 813, 913, 1029, 1171, 1387
models, 943
performance, 1147
rate, 793
testing, 1015
gryphoides, 785
Gulf of California, 221
guppy, 905

habituating, 281
haematological parameters, 1269, 1469
haemolymph, 749
haemolysis, 1269
Haliotis asinina, 839
handling
stress, 1139
time, 1191
harmful algal blooms, 1391
hatching, 739
Health Assessment Index, 1029
hepatopancreas, 749
heritability, 543, 1029, 1079
herring meal, 601
Heteropneustes fossilis, 1247
heterosis, 905
heterotrophic bacteria, 680
hexokinase, 235
hiding places, 289
high-fibre sunflower cake, 601
Hippocampus abdominalis, 757
histology, 1255
HUFA, 902
enrichment, 877
humane slaughter, 1, 212
hybrid tilapia, 43
hybridization, 205
hydrolysed, 733

immunostimulants, 1244
in vitro, 95
inbreeding depression, 905
incubation, 1311
Indian major carp, 765
individual selection, 535
ingestion rate, 85, 793
insulin, 235
insulin-like growth factor, 267
intensive, 165
culture, 1233
shrimp aquaculture, 345
ion channel, 859
i.p. injection, 829
isolates, 667

Jasus edwardsii, 419, 439
juvenile, 1387
barramundi, 813
Korean rockfish, 1337

kidney, 13
kinetics, 829

L. setiferus, 981
L. stylirostris, 981
Labeo rohita, 95, 975
Lake Ayame, 1229
landlock, 1229
largemouth bass, 585
larvae, 445, 1233, 1453
larval rearing, 785, 967
larviculture, 902
Lates calcarifer, 813
laver, 898
leaf meals, 593, 1147
Lessonia, 507
light, 469
intensity, 727
lipase, 95
lipid
classes, 641, 1205
emulsions, 902
lipids, 419, 813
lipostat, 317
Litopenaeus setiferus, *L. schmitti*, 981
Litopenaeus vannamei, 345, 749, 1205, 1403
live food, 757
livefeeds, 967
liver
glycogen, 1413
lipid classes, 661
lobster, 439
local adaptation, 869
loess, 1391
Loma salmonae, 1329
long-line culture, 507
low temperature, 1417
low-fibre sunflower cake, 601
lowwater exchange, 937
lunar spawning, 849
Lutjanus argentimaculatus (Forsskal 1775), 849
Lyropecten (Nodipecten) nodosus, 709
lysozyme, 1029

© 2003 Blackwell Publishing Ltd

Macrobrachium rosenbergii, 49, 501, 555, 1453
macronutrient, 271
maggot meals, 733
magnesium, 975
mangrove red snapper, 849
marker-assisted selection, 397
marking, 49, 839
marron, 1311
masculinization, 65
maturation, 749, 1255
measurement, 253
meat and bone meal, 23, 33
mechanical stunning, 1353
Mekong giant catfish, 1379
meristic characters, 579
methaemoglobin, 1269
methanol, 609
  extraction, 1147
methionine hydroxy analogue, 1303
microalgae, 299
microencapsulated diet, 445
microparticulate diet, 561
Micropterus salmoides, 585
microsatellite, 525, 905
microtechniques, 1201
milt, 1047
mirror carp, 149
mitigation, 1391
mixed feeding schedule, 1343
mola, 149
molecular sexing, 951
Monachus monachus, 777
monk seal, 777
Moringa oleifera, 1147
mortality, 1417
MS-222, 1139
Mucuna pruriens var. *utilis*, 487
multiple nursing, 1015
multivariate statistics, 149
Murray cod, 697
muscle
  fibre, 55
  structure, 1287
mussel, 1391

n-3:n-6, 697
naturalized populations, 525
necropsy, 1029
net fish yield, 1343
neutral lipids, 1423
Nile tilapia, 765, 1047, 1053, 1119, 1147
nitrifying inoculum, 165
nitrogen, 407
  compounds, 1201
Nodipecten subnodosus, 633
non-enzymatic, 1093
non-lethal, 1463
non-starch polysaccharide, 135
northern bluefin tuna, 13
nursery growth, 641
nutrition, 299, 843, 902
nutritional
  bioenergetics, 1367
  profiles, 967
  prophylaxis, 923

olive flounder, 1269
Oncorhynchus mykiss, 1139
ontogeny, 13, 1235
oocyte
  hydration, 859
  maturation, 859
oogenesis, 1181
oreochromis, 1023
Oreochromis niloticus, 85, 601, 1047
organic
  carbon, 333
  fertilizers, 680
  matter, 1367
ornamental fish, 923, 967
osmolality, 555
osmoregulation, 629, 1463
osmotic regulation, 859
oven dried, 733
overy, 1255
Ovopel, 1321
ovulation induction, 479
oxygen consumption, 187, 501, 821
oyster, 1391
  conchocelis shell, 898

Pacifastacus leniusculus (Dana), 289
Pagrus, 1161
Panaeus vannamei, 543
Pangasius hypophthalmus, 887
Pangio, 959
Paralichthys olivaceus, 461
  larvae, 877
parr, 1413
particulate organic matter, 709
partitioned aquaculture system (PAS), 453
PAS, 1087
pathogenic bacteria, 680
pathogens, 667
PCR, 1093
Pecten maximus, 641, 1191, 1417
Penaeid, 1255
Penaeus stylirostris, 221
per os, 1329
perch, 281
performance, 869
periphyton, 85
Perna viridis, 1037
persistence time, 1191
phenotypic response, 535
pheromone, 1047
phosphate, 333
phospholipids, 1423
phosphorus, 407, 843
photoperiod, 73, 241, 439
phytoplankton concentration, 453
pikeperch, 281
pituitary, 1321
plankton, 1233
plant protein mixture, 1119
polychlorinated dibenzodioxins, 1009
polyculture, 149, 765
pond
  fertilization, 765
  water, 517
ponds, 333

© 2003 Blackwell Publishing Ltd

population
dynamics, 345
studies, 981
Porphyra pseudolinearis, 898
postlarvae, 561
post-shipment mortality, 923
prawn, 821
predation, 1191
prediction, 253
processing, 109
production planning, 584
proliferative gill disease, 569
protease, 95
protein, 1247
fasting, 271
requitement, 661
sparing, 123
utilization, 1343
protists, 345
proximate composition, 813
Pseudobagrus fulvidraco, 1474
Pseudopleuronectes, 653
Pseudopleuronectes americanus, 445
punti, 149

quality, 55
quantitative
genetics, 1099
trait, 905
trait loci, 397

rainbow
trout, 1009
trout *Oncorhynchus mykiss*, 1303
random amplified polymorphic DNA (RAPD), 959
RAPD, 905, 951
realized response, 535
reared, 579
rearing, 943
recirculation, 937
red
porgy, 1161
sea bream, 1129
reproduction, 427, 461, 1047
resistance, 569
respirometry, 1361
rhamdia quelen, 1469
Rhodophyta, 898
rohu, 149
Rotifers, 165, 793, 1277

16S, 981
saithe, 999
salinity, 175, 187, 345, 555, 1361
Salmo salar L., 469, 1413
salmon, 311
salmonidae, 205
salmonids, 1287, 1423, 1463
sampling, 373
Sarotherodon melanotheron, 1229
Saudi Arabia, 43
scallop
larvae, 902
spat, 641
scallops, 709, 1391
SDA, 821
sea
bass, 813, 1069
ranching, 839
seasonal reproduction, 1181
seawater
challenge test, 1463
nutrients, 1201
sediment, 517
drying, 333
selection, 629
response, 535
selective breeding programme, 397
selenium, 1053
self selection, 271
semi-intensive, 1343
culture, 1403
sensory, 33
quality, 999
serum
biochemistry, 1469
chemistry, 1269
Sesbania endosperm, 1171
settlement, 1037
sewage, 667
sex, 555
control, 65
hormonal profile, 1379
steroids, 1181
sex-effects, 1079
sexual maturation, 73
sharpsnout seabream, 579
shell length, 869
shell-breaking techniques, 1191
shelter, 1387
shortened body condition, 1129
shrimp, 373, 427, 629, 1205, 1403
aquaculture, 629
signal crayfish, 289
silver perch, 109, 195
sites, 709
size, 543, 1087
slaughter, 1353
16S mitochondrial DNA=AJ132780, AJ297970, AJ297971, 981
soaking, 487
sodium, 555
soft-shelled turtle, 843
Solea senegalensis, 1443
southern bluefin tuna (*Thunnus maccoyii*), 267
soy protein concentrate, 1443
soybean, 913
meal, 1261, 1303
Sparus aurata, 73
spat, 785
spawning, 785, 849
specific hunger, 271
sperm quality, 1161
spermation, 1161
spermatogenesis, 1181
spermatozoa, 653
Spinibarbus hollandi, 661
spiny lobster, 419
Spirulina, 1244
spleen, 13
sponges, 1075

© 2003 Blackwell Publishing Ltd

starch, 109, 195
starvation, 419
stocking density, 1015, 1229
stomach content, 1403
strain identification, 951
stress, 267, 1469
stress resistance, 629, 923
striped catfish, 887
stunning, 212
stunting, 765
sun dried, 733
sunflower oil, 601
sunshine bass, 1277
survival, 49, 205, 439, 727, 1037, 1387
  analysis, 1329
swimming depth, 469
synergistic effects, 1053
syngnathid, 757

tamoxifen, 1474
tank
  bottom, 289
  culture, 1277
tannin, 95
Tapes decussatus, 299
taste, 33
temperature, 175, 241, 453, 501, 584, 1037, 1205, 1311
tench, 1181
texture, 55, 1287
Thai and Vietnamese strains, 1453
thermal biology, 1423
Thunnus orientalis, 13
thymus, 13
tilapia, 65, 241, 453, 487, 517, 1023, 1087, 1171, 1229, 1244, 1261
tolerance, 97, 175
toxicity, 975
transfer, 1009
treatment ponds, 667
triploid, 264
tropical abalone, 264
trout offal oil, 697
turbot *Scophthalmus maximus*, 739

ultra-sound, 609
utilization, 109, 123

vegetable oils, 1215, 1423
vertebrae, 1129
VI tags, 49
VIE markers, 683
vitamin
  A, 461
  C source, 1337
vitellogenin, 749

water
  oxygenation, 1069
  quality, 149, 299
  temperature, 1413
weaning, 281, 445, 943
welfare, 469
whole and, dehull lupin seed meal, 1261
wild, 579
winter flounder, 803
WSSV, 1093

X-ray, 579

Yellowfin sea bream, 175

zebrafish, 609
zooplankton, 373

© 2003 Blackwell Publishing Ltd